# **C-19 VAX RISK UPDATE**

### 1. Moderna ingredient:

One of the ingredients in the Moderna C-19 vaccine is SM-102. SM-102 is an ionizable amino lipid that is used in the formation of lipid nanoparticles. Administration of luciferase mRNA in SM-102 containing lipid nanoparticles induces hepatic luciferase expression in mice. Formulations containing SM-102 have been used in the development of lipid nanoparticles for delivery of mRNA-based vaccines.

Summary of material safety data sheet for SM-102:

- For research use only, not for human or veterinary use
- Suspected of causing cancer
- Suspected of damaging fertility or the unborn child
- Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.

https://www.caymanchem.com/pdfs/33474.pdf https://www.caymanchem.com/msdss/33474m.pdf

#### 2. Recent Pfizer research results exposed:

As of May 27, 2021, Dr. Byram Bridle (Associate Professor, Viral Immunology at the University of Guelph (Ontario, Canada) and vaccinologist (meaning he makes vaccines for a living) went on air with Alex Pierson from Global News to discuss recent concerning findings from new peerreviewed studies and a Pfizer study pertaining to post injection mRNA (Pharmacokinetic Biodistribution) that surfaced as a result of a freedom of information request to the Japanese regulatory agency known as Pharmaceuticals and Medical Devices Agency (PMDA). The PMDA released Pfizer Pharmacokinetic Biodistribution study data that concluded there is clear mRNA nanoparticle bioaccumulation commencing from the first 15 minutes post-injection, dispersing from the injection site, targeting most heavily the **bone marrow, ovaries, adrenal glands, spleen and liver** after 48 hours. Bridle explained, "We made a big mistake. We didn't realize it until now. We thought the spike protein was a great target antigen, we never knew the spike protein itself was a toxin and was a pathogenic protein."

For reference, Biodistribution studies are designed to determine where an injected compound travels to and accumulates in the body's tissues or organs. Pharmacokinetics refers to the study of what the body does with a drug including the drug's movement throughout the body, the timing of its absorption, bioavailability, distribution, metabolism and excretion. According to TrialSite News, Pfizer did not use its commercial mRNA injection (BNT162b2) for these studies, but instead utilized a "surrogate" mRNA that produced the luciferase protein. The European Medial Association (EMA) reviewers confirmed this when they shared the following explicit admission: "No traditional pharmacokinetic or biodistribution studies have been performed with the vaccine candidate BNT162b2."

# https://omny.fm/shows/on-point-with-alex-pierson/new-peer-reviewed-study-on-covid-19-vaccines-sugge

Dr. Bridle, along with a medical doctor and another research scientist, presented a news release on Canadian Public Affairs Channel (CPAC), which is the channel that broadcasts parliamentary proceedings, on June 17, 2021, as requested by Derek Sloan, Member of Parliament for Hastings-Lennox. They shared about the severe censorship of doctors, scientists, media and members of parliament, and even more so in light of Dr. Bridle's recent expose. <u>https://www.cpac.ca/en/programs/covid-19-canada-responds/episodes/66396178/</u>

Further to the above about the spike proteins accumulating in organs, the first post-mortem study of a person vaccinated with the C-19 vax (and no pre-vax symptoms of C-19, nor did he test positive for C-19 prior to or after vax) showed viral RNA in <u>almost all organs.</u> <u>https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8051011/</u>

## 3. Fertility and Menstrual Issues

There are thousands of reports on all the major adverse events reporting systems in the US, UK and Europe of huge spikes in excessive menstrual bleeding, cessation of menses, 2<sup>nd</sup> and 3<sup>rd</sup> trimester miscarriages (very rare), and stillbirth.

The New Zealand Herald (like the Globe and Mail) had a business report where this line appeared: "Feihe, China's largest infant formula maker, said sales would drop sharply in the next one to two years since many women cannot bear children within six months of coronavirus vaccination, thus delaying births."

Mainfreight dominated the trading on the New Zealand sharemarket after it was revealed that its chairman Bruce Plested sold \$75 million worth of shares in the transport and logistics company.

Despite continued strong volume of transactions overall, the S&P/NZX 50 Index drifted, closing on its low for the day at 12,518.01, down 48.49 points or 0.39 per cent. The index's intraday high was 12,587.68 points.

There were 76 gainers and 67 decliners over the whole market, with 50.85 million shares worth \$278.23m changing hands. Nearly a third of the trading value was in **Mainfreight**, which fell \$1.80 or 2.33 per cent to \$75.30.

A substantial holder notice showed Mainfreight founder Plested sold 1 million shares offmarket for \$75m through Rorohara No. 2 Trust. The trust now has a 14.83 per cent shareholding in Mainfreight, down from 16.29 per cent.

One broker, who didn't want to be named, said Plested no doubt sold the shares to buy an asset. "It's a small part of his overall holding and I suspect it would have pained him to sell. He is a long-term bull on the stock and I have no issue whatsoever with his move."

Global marketer **a2 Milk's** recovery ran out of puff after falling 18c or 2.93 per cent to \$5.97, impacted by a competitor's comments in China. Feihe, China's largest infant formula maker, said sales would drop sharply in the next one to two years since many women cannot bear children within six months of coronavirus vaccination – and thus delaying births.

Synlait Milk, which supplies a2 Milk, was down 9c or 2.5 per cent to \$3.51.

The broad rally seen over the previous three trading days also petered out. Market leader

## https://www.nzherald.co.nz/business/market-close-mainfreight-chairman-bruce-plested-sells-75-million-worth-of-shares/IY3YKMNSFYIXKKTWCI2MJF7CTM/

Of course, 6 months is a total guess, since it's barely been 6 months since the vaccines have been started, so we don't have a proper baseline yet, but the fact that they even stated that means that they know the vax interferes with fertility – who knows how long this will last, especially with booster shots?

#### 4. Russian health advice re: flying and covid vaccination:

"Doctor Yevgeny Kovalev, in an interview with the <u>Public News Service</u>, said that travel by plane can be dangerous for those who have been vaccinated against the coronavirus. Now in Russia, a large-scale vaccination against COVID-19 is being carried out. Contrary to all the fears and statements of Western experts, a large number of Russians want to be vaccinated. However, as it turned out, citizens who have been vaccinated may face restrictions due to health problems. In Europe, they are already discussing the possibility of limiting air travel to those who have been vaccinated. The fact is that coronavirus vaccines affect the function that is associated with blood clotting. In this regard, the risk

of thrombosis increases. During a flight by air, people are not in the most comfortable position for a long time, and this aggravates the situation, Kovalev explained."

https://live24.ru/obschestvo/privitym-ot-koronavirusa-sars-cov-2-mogut-zapretit-letat-na-samoletah.html

(you'll have to google translate the webpage)

# 5. US CDC recently reports link between C-19 vax and heart inflammation:

"During today's meeting, members of a CDC advisory committee acknowledged 1,200 cases of heart inflammation in 16- to 24-year-olds, and said mRNA COVID vaccines should carry a warning statement — but physicians and other public commenters accused the CDC of exaggerating the risk to young people of COVID, and minimizing the risk of the vaccines."

https://childrenshealthdefense.org/defender/link-heart-inflammation-pfizer-moderna-covidvaccines-cdc-advisory/?utm\_source=salsa&eType=EmailBlastContent&eId=431e9337-a685-4012-b026-b6a16f221047

## 6. mRNA can change DNA

Contrary to what we were told in the media when the covid-19 vaccines were being first promoted, there is scientific evidence that synthetic mRNA (messenger RNA) can alter DNA, which means it's **permanent** and then carried over into offspring. Whereas the mainstream media has said that that the messenger RNA that is used in Covid-19 vaccines cannot change DNA because it is mRNA vs modified RNA (modRNA), this is not true. The mRNA in C-19 vaccines is *synthetic* mRNA which turns it into modRNA which has been shown to alter DNA: "modRNA is used to induce the production of a desired protein in certain cells. An important application is the development of <u>mRNA vaccines</u>, of which the first authorized were <u>COVID-19</u> vaccines (such as <u>BNT162b2</u> and <u>mRNA-1273</u>)." https://en.wikipedia.org/wiki/Nucleoside-modified messenger RNA

Participants in the mRNA vaccine trials were told to be on "highly effective" contraceptives because the effects on the fetus were "not known". <u>https://www.ukmedfreedom.org/resources/covid-19-vaccine-info#Information-Leaflets</u>. And the mutagenic effects are still not known but we do know that there has been a spike in 2<sup>nd</sup> and 3<sup>rd</sup> trimester miscarriages post C-19 vaccine.

## 7. Magnetism

There have been hundreds of reports of people having magnetic arms and chests after the vaccine – keys, forks, knives, even cell phones, sticking the to the body (including after some of the covid tests themselves!) There is science to show the nano delivery system of the vaccines cause the iron in the body to become magnetic and it is designed that way. One Moderna

patent uses this method as a detection agent: "In some embodiments, the payload may be a detectable agent, such as... iron oxides (e.g., superparamagnetic iron oxide (SPIO)" https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8022514/ https://www.acrobiosystems.com/P3194-SARS-CoV-2-Spike-RBD-coupled-Magnetic-Beads.html https://www.nanopartz.com/magnetic-nanoparticles.asp https://pubmed.ncbi.nlm.nih.gov/24715289/ https://en.wikipedia.org/wiki/Magnetofection https://www.nature.com/articles/3301624

Do you want to risk making your blood magnetic??! There are significant risks to being near electromagnetic fields, which why x-rays and MRI's are strictly controlled (both patient and technician protected from stray magnetic particles). There are mountains of evidence to show how prolonged exposure to magnetic fields impacts DNA and mitochondrial function – it is genotoxic and cytotoxic!! Here's just one of many articles: https://pubmed.ncbi.nlm.nih.gov/14689206/

# 8. Risk of hospitalization and dying from "variants" much higher in vaccinated individuals:

The death rate due the Delta COVID variant is 6 times higher among those who were fully vaccinated for 2 weeks or longer than among those who were not vaccinated, according to recent report published by **Public Health England.** 

26 people died among 4,087 who were fully vaccinated 14 days or more before testing positive for the Delta COVID variant. This means a death rate of 0.00636 percent, which is 6.6 times higher than the rate of 0.000957 deaths – or 34 deaths among 35,521 positive Delta cases among the unvaccinated. <u>"SARS-CoV-2 variants of concern and variants under investigation in England, Technical briefing 16."</u>

Furthermore, fully vaccinated people are hospitalized in the UK at a higher rate than unvaccinated people.

According to most recent technical briefing report, public health data show that 2.0 percent of vaccinated individuals (84 of 4,087) who tested positive for the Delta variant were admitted to hospital (including those tested upon entering the hospital for any other reason) compared with 1.48 percent of unvaccinated individuals (527 of 35,521).

Antibody-Dependent Enhancement:

According to Stephanie Seneff, a senior researcher at MIT\*, the higher hospitalizations among the vaccination is "... reminiscent of the ADE (antibody dependent enhancement) phenomenon that has been seen for other vaccine and that has been expressed as a point of concern among many scientists for the COVID vaccines."

ADE is what stopped previous attempts at coronavirus vaccines because it resulted in lung disease in lab animals. It led researchers in 2012 to advise scientists to proceed with caution for any human coronavirus vaccines which could lead to enhanced lung disease.

#### https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0035421

Seneff said research has shown that coronavirus vaccines alter the ways immune systems respond to infection and can activate other sleeping infections in the vaccinated person such as herpes virus, creating symptoms of Bell's Palsy and Shingles.

"It is conceivable to me that the laser-beam specificity of the induced antibodies is offset by a general weakening of innate immunity," Seneff said. "I also suspect that massive vaccination campaigns may accelerate the rate at which the vaccine-resistant mutant strains become dominant among all the SARS-Co-V2 [coronavirus] strains."

\*Stephanie Seneff is a Senior Research Scientist at the MIT Computer Science and Artificial Intelligence Laboratory. She received the B.S. degree in Biophysics in 1968, the M.S. and E.E. degrees in Electrical Engineering in 1980, and the Ph.D degree in Electrical Engineering and Computer Science in 1985, all from MIT. For over three decades, her research interests have always been at the intersection of biology and computation: developing a computational model for the human auditory system, understanding human language so as to develop algorithms and systems for human computer interactions, as well as applying natural language processing (NLP) techniques to gene predictions. She has published over 170 refereed articles on these subjects, and has been invited to give keynote speeches at several international conferences. She has also supervised numerous Master's and PhD theses at MIT. In 2012, Dr. Seneff was elected Fellow of the International Speech and Communication Association (ISCA).

#### 9. Risk of Neurological Disease

Dr. Seneff explains here that: "There are many reasons to be wary of the COVID-19 vaccines, which have been rushed to market with grossly inadequate evaluation and aggressively promoted to an uninformed public, with the potential for huge, irreversible, negative consequences. One potential consequence is to exhaust the finite supply of progenitor B cells in the bone marrow early in life, causing an inability to mount new antibodies to infectious agents. An even more worrisome possibility is that these vaccines, both the mRNA vaccines and the DNA vector vaccines, may be a pathway to crippling disease sometime in the future. Through the prion-like action of the spike protein, we will likely see an alarming increase in several major neurodegenerative diseases, including Parkinson's disease, CKD, ALS and Alzheimer's, and these diseases will show up with increasing prevalence among younger and younger populations, in years to come. Unfortunately, we won't know whether the vaccines caused this increase, because there will usually be a long time separation between the vaccination event and the disease diagnosis. Very convenient for the vaccine manufacturers, who stand to make huge

profits off of our misfortunes -- both from the sale of the vaccines themselves and from the large medical cost of treating all these debilitating diseases.:

https://www.greenmedinfo.com/blog/sars-cov-2-vaccines-and-neurodegenerative-disease

# 10. Should people who have recovered from Covid take the vaccine?

Excellent overview of the risks of the vaccine including links. <u>https://www.biznews.com/health/2021/06/28/covid-19-vaccine-</u> <u>immunity?utm\_source=dlvr.it&utm\_medium=twitter&amp&\_twitter\_impression=true</u>

# Quote from article:

After 6 months of vaccination and a year of research, a number of red signals should be alerting the *would-be* vaccinated and health authorities:

- 1. **Wandering nanoparticles:** The lipid nanoparticles, the carriers of the mRNA, were supposed to remain in the muscle, but ended up broadly distributed throughout the <u>body</u>, notably in the <u>ovaries</u>, the <u>liver</u> and possibly the bone marrow.
- 2. Anaphylactic PEG: A number of concerns had been raised regarding the novel use of <u>PEG adjuvant</u>. Notably, prior research had raised the risk of <u>cardiac anaphylaxis at second injection</u>.
- 3. **Sensitive locations:** ACE-2 receptors susceptible to binding to the spike protein are highly expressed in the endothelial cells of highly sensitive areas, such as the brain, the heart, the lungs, the liver and both male and female reproductive systems.
- 4. Toxic circulating spikes: The <u>spike proteins</u> induced by mRNA/DNA <u>vaccines</u> have been <u>shown</u> to be <u>pathogenic</u>, and highly inflammatory, notably because of the similarity of a spike sequence to that of <u>Staphylococcal Enterotoxin B</u>. It has also been found to be directly <u>causing blood clots</u> through <u>platelet activation</u>. One researcher said, "Our findings show that the SARS-CoV-2 spike protein causes lung injury even without the presence of an intact virus".
- 5. **BBB disruption:** A recent study highlights the risk of disruption of the <u>blood-brain</u> <u>barrier</u>, a fundamental filter mechanism to protect the brain. The spike protein has also been found to <u>cross the BBB</u> and <u>create inflammation</u> in the brain.
- High adverse events: Even though most likely <u>under-reported</u>, the overall number of serious adverse events versus other traditional vaccines remains very high. The <u>6,000+ deaths</u> seen [in the US] in six months exceed all the vaccine-related deaths in 30 years. This is quite disquieting, and tends to confirm the aforementioned alarms.
- 7. **Children more at risk:** The Covid-19 vaccines seem to be more harmful to children and teens, notably with a <u>growing number</u> of <u>myocarditis</u> events. The fact that vaccine doses are not adjusted for body weight is notably a cause for concern given the discovery of circulating nanoparticles and spike toxicity.

These are essentially just the short-term effects of these novel vaccines. There is no long-term clinical data regarding the implications of these vaccines, notably regarding autoreactive antibodies (antibodies that target one's own body creating autoimmune diseases).

#### 11. Latest deaths and adverse events in UK, Europe and US:

Europe, up to 5 June, 2021: Deaths: 13,867 Injuries: 1,354,366

U.K. up to 9 June, 2021: Deaths: 1,332 Injuries: 949, 286

U.S. up to 19 June, 2021: Deaths: 5,993 Injuries: 394,525

Deaths & Injuries, Combined total for Europe, U.K. & U.S, up to 19 June, 2021:

Deaths: 21,192 Injuries: 2,698,177

Sources:

Europe (EudraVigilance) U.K (MHRA Yellow Card System) U.S (CDC/ VAERS)